



INSTRUMENT APPROACH CHART - ICAO

AERODROME ELEV 1742 - 62 hPa
DTHR RWY 09 ELEV 1739 - 62 hPa
OCH RELATED TO AD ELEV

APP 123.700 TWR 118.100 ATIS 126.680
129.900 120.200
247.575 336.400
121.500 121.500
243.000 243.000

SOFIA VOR RWY 09



MISSED APPROACH: Climb on R-090 SOF to 4500 (2761) FT or 8.0 SOF whichever is later. Turn right to SOF and climb 8000 (6261) FT to enter SOF HLDG. Climb to 10000 (8261) FT or as directed in SOF HLDG.

OCA (OCH)	A	B	C	D
Straight-in Approach	m	685 (150)		
	ft	2240 (500)		
SDF not received	m	790 (260)		
	ft	2590 (850)		
Circling	m	685 (155)	700 (170)	775 (245)
	ft	2250 (510)	2290 (550)	2540 (800)

DME SOF NM / km	6 / 11.1	5 / 9.3	4 / 7.4	3 / 5.6	2 / 3.7	1.0 / 1.9
DIST THR NM / km	6.5 / 12.0	5.5 / 10.1	4.5 / 8.2	3.5 / 6.4	2.5 / 4.5	1.5 / 2.7
ALT (HGT) m	1175 (645)	1075 (545)	980 (450)	885 (350)	785 (255)	690 (160)
ALT (HGT) ft	3850 (2110)	3530 (1790)	3220 (1470)	2900 (1160)	2580 (840)	2260 (520)

GS	kt	60	80	100	120	140	160	180
FAF - MAPt 5.9 NM	min:sec	5:54	4:26	3:32	2:57	2:32	2:13	1:58
Rate of descent	ft/min	318	425	531	637	743	849	955

Timing is not authorized for defining MAPt

See page LBSF AD 2 - 61.2 for non-RNAV fixes coordinates and other data.